

G SERIES O-RING

Size Ref of G	Actual Size Millimeters				Size Ref of G	Actual Size Millimeters			
	I.D	Tol	W	Tol		I.D	Tol	W	Tol
G25	24.40	±0.15	3.1	±0.10	G210	209.3	±0.80	5.7	±0.15
G30	29.40	±0.15	3.1	±0.10	G215	214.3	±0.80	5.7	±0.15
G35	34.40	±0.15	3.1	±0.10	G220	219.3	±0.80	5.7	±0.15
G40	39.40	±0.15	3.1	±0.10	G225	224.3	±0.80	5.7	±0.15
G45	44.40	±0.25	3.1	±0.10	G230	229.3	±0.80	5.7	±0.15
G50	49.40	±0.25	3.1	±0.10	G235	234.30	±0.80	5.7	±0.15
G52	51.40	±0.25	3.1	±0.10	G240	239.30	±0.80	5.7	±0.15
G55	54.40	±0.25	3.1	±0.10	G245	244.30	±0.80	5.7	±0.15
G58	57.40	±0.25	3.1	±0.10	G250	249.30	±0.80	5.7	±0.15
G60	59.40	±0.25	3.1	±0.10	G255	254.30	±0.80	5.7	±0.15
G63	62.40	±0.25	3.1	±0.10	G260	259.30	±0.80	5.7	±0.15
G65	64.40	±0.25	3.1	±0.10	G265	264.30	±0.80	5.7	±0.15
G70	69.40	±0.25	3.1	±0.10	G270	269.30	±0.80	5.7	±0.15
G75	74.40	±0.40	3.1	±0.10	G275	274.30	±0.80	5.7	±0.15
G80	79.40	±0.40	3.1	±0.10	G280	279.30	±0.80	5.7	±0.15
G85	84.40	±0.40	3.1	±0.10	G285	284.30	±0.80	5.7	±0.15
G90	89.40	±0.40	3.1	±0.10	G290	289.30	±0.80	5.7	±0.15
G95	94.40	±0.40	3.1	±0.10	G295	294.30	±0.80	5.7	±0.15
G100	99.40	±0.40	3.1	±0.10	G300	299.30	±0.80	5.7	±0.15
G105	104.40	±0.40	3.1	±0.10	G305	304.30	±1.00	5.7	±0.15
G110	109.40	±0.40	3.1	±0.10	G310	309.30	±1.00	5.7	±0.15
G115	114.40	±0.40	3.1	±0.10	G315	314.30	±1.00	5.7	±0.15
G120	119.40	±0.40	3.1	±0.10	G320	319.30	±1.00	5.7	±0.15
G125	124.40	±0.40	3.1	±0.10	G325	324.30	±1.00	5.7	±0.15
G130	129.40	±0.60	3.1	±0.10	G330	329.30	±1.00	5.7	±0.15
G135	134.40	±0.60	3.1	±0.10	G335	334.30	±1.00	5.7	±0.15
G140	139.40	±0.60	3.1	±0.10	G340	339.30	±1.00	5.7	±0.15
G145	144.40	±0.60	3.1	±0.10	G345	344.30	±1.00	5.7	±0.15
G150	149.30	±0.60	5.7	±0.15	G350	349.30	±1.00	5.7	±0.15
G155	154.30	±0.60	5.7	±0.15	G355	354.30	±1.00	5.7	±0.15
G160	159.30	±0.60	5.7	±0.15	G360	359.30	±1.00	5.7	±0.15
G165	164.30	±0.60	5.7	±0.15	G365	364.30	±1.00	5.7	±0.15
G170	169.30	±0.60	5.7	±0.15	G370	369.30	±1.00	5.7	±0.15
G175	174.30	±0.60	5.7	±0.15	G375	374.30	±1.00	5.7	±0.15
G180	179.30	±0.60	5.7	±0.15	G380	379.30	±1.00	5.7	±0.15
G185	184.30	±0.80	5.7	±0.15	G385	384.30	±1.00	5.7	±0.15
G190	189.30	±0.80	5.7	±0.15	G390	389.30	±1.00	5.7	±0.15
G195	194.30	±0.80	5.7	±0.15	G395	394.30	±1.00	5.7	±0.15
G200	199.30	±0.80	5.7	±0.15	G400	399.30	±1.00	5.7	±0.15
G205	204.30	±0.80	5.7	±0.15	G405	404.30	±1.20	5.7	±0.15

G SERIES O-RING

Size Ref of G	Actual Size Millimeters			
	I.D	Tol	W	Tol
G410	409.30	±1.20	5.7	±0.15
G415	414.30	±1.20	5.7	±0.15
G420	419.30	±1.20	5.7	±0.15
G425	424.30	±1.20	5.7	±0.15
G430	429.30	±1.20	5.7	±0.15
G435	434.30	±1.20	5.7	±0.15
G440	439.30	±1.20	5.7	±0.15
G445	444.30	±1.20	5.7	±0.15
G450	449.30	±1.20	5.7	±0.15
G455	454.30	±1.20	5.7	±0.15
G460	459.30	±1.20	5.7	±0.15
G465	464.30	±1.20	5.7	±0.15
G470	469.30	±1.20	5.7	±0.15
G475	474.30	±1.20	5.7	±0.15
G480	479.30	±1.20	5.7	±0.15
G485	484.30	±1.20	5.7	±0.15
G490	489.30	±1.20	5.7	±0.15
G495	494.30	±1.20	5.7	±0.15
G500	499.30	±1.20	5.7	±0.15

Size Ref of G	Actual Size Millimeters			
	I.D	Tol	W	Tol
Gs150	149.30	±0.60	3.1	±0.10
Gs155	154.30	±0.60	3.1	±0.10
Gs160	159.30	±0.60	3.1	±0.10
Gs165	164.30	±0.60	3.1	±0.10
Gs170	169.30	±0.60	3.1	±0.10
Gs175	174.30	±0.60	3.1	±0.10
Gs180	179.30	±0.60	3.1	±0.10
Gs185	184.30	±0.80	3.1	±0.10
Gs190	189.30	±0.80	3.1	±0.10
Gs195	194.30	±0.80	3.1	±0.10
Gs200	199.30	±0.80	3.1	±0.10
Gs205	204.30	±0.80	3.1	±0.10
Gs210	209.30	±0.80	3.1	±0.10
Gs215	214.30	±0.80	3.1	±0.10
Gs220	219.30	±0.80	3.1	±0.10
Gs225	224.30	±0.80	3.1	±0.10
Gs230	229.30	±0.80	3.1	±0.10
Gs235	234.30	±0.80	3.1	±0.10
Gs240	239.30	±0.80	3.1	±0.10
Gs245	244.30	±0.80	3.1	±0.10
Gs250	249.30	±0.80	3.1	±0.10
Gs255	254.30	±0.80	3.1	±0.10
Gs260	259.30	±0.80	3.1	±0.10
Gs265	264.30	±0.80	3.1	±0.10
Gs270	269.30	±0.80	3.1	±0.10
Gs275	274.30	±0.80	3.1	±0.10
Gs280	279.30	±0.80	3.1	±0.10
Gs285	284.30	±0.80	3.1	±0.10
Gs290	289.30	±0.80	3.1	±0.10
Gs295	294.30	±0.80	3.1	±0.10
Gs300	299.30	±0.80	3.1	±0.10